

impact™



Impact Quikbox™
INSTRUCTIONS

Impact Quikbox Components



Speed Ring Bracket Components



Introduction

Congratulations on your purchase of the Impact Quikbox™. This revolutionary pop-up softbox was designed to be portable and simple to set up, giving photographers a quality flash diffuser at an affordable price.

Softbox Features

- **Easy Assembly:** Unique pop-up design makes assembly process quick and easy
- **Eliminates Difficulty:** Lack of external flex rods eliminate complex installation process
- **Instantly Transportable:** Compact design makes transport and storage easier than ever
- **Remarkably Adaptable:** Speed ring bracket mounts both flash heads and radio receivers
- **Multi-Purpose Use:** Lightweight design allows for indoor and outdoor usage all year round

Note: The Impact Quikbox is for use with flashes only. It should not be used with hot lights. Please read these instructions carefully on how to assemble and break down your new softbox.

Quikbox Assembly Instructions

The Impact Quikbox consists of two main parts: a pre-built, internal rod softbox that allows for rapid assembly, and a speed ring bracket that allows for the installation of both flash heads and radio receivers in a variety of versatile configurations



1. Remove softbox shell from carry bag and begin unfolding by pulling panels outward like a book



2. Rotate softbox so that larger opening faces toward you; then spread apart the opposing panels until softbox shell pops open into a square-shaped box



3. Hold both speed ring bracket parts and loosen thumbscrew C on bracket handle; then slide circular speed ring into the bracket handle and tighten thumbscrew



4. Gently wedge circular speed ring under the elastic rims located in back of softbox

Quikbox Assembly Instructions



5. Rotate the speed ring to accurately square it up on softbox shell and ensure softbox is securely held in place



6. Mount speed ring bracket onto light stand or other supporting device; tighten thumbscrew A and secure in place



7. Install inner diffuser by fastening metal clips found on smaller diffuser cloth to elastic loops found on each corner of softbox interior



8. Install outer diffuser by attaching white fastener strip found on bigger diffuser cloth to black fastener strip found on softbox interior

Speed Ring Bracket Instructions

Installing Flash Head On Bracket



1. Mount flash shoe directly on cold shoe adapter found atop bracket handle and tighten miniature thumbscrew to secure



2. Ensure that the flash bulb extends approximately $\frac{1}{2}$ inch into rectangular center of speed ring opening; the desired position can be achieved by adjusting thumbscrews B and C



3. Depending on height of flash head, it may be beneficial to remove the two disc-shaped washers found under cold shoe adapter assembly



4. Do so by unscrewing cold shoe adapter, removing washers and screwing cold shoe adapter back in place


Speed Ring Bracket Instructions

Installing Radio Receiver On Bracket (Optional)

The Impact Quikbox has a unique system that allows for most radio receivers to be mounted on the speed ring bracket (regardless of whether it has a male shoe) by incorporating the universal 1/4" 20 screw mount




1. Remove cold shoe adapter assembly and ensure universal 1/4" 20 screw is exposed; mount radio receiver on top of exposed 1/4" 20 screw



2. Fasten flash head directly onto cold shoe assembly found on radio receiver



3. Depending on height of radio receiver and/or flash head, it may be beneficial to remove the two disc-shaped washers found under cold shoe adapter assembly for optimal fit




4. When using oversized radio receivers, a better fit can be achieved by mounting radio receiver and flash sideways; then rotating flash head forward to ensure a proper fit inside speed ring bracket opening

Breaking Down The Quikbox



1. Remove flash head and/or radio receiver from bracket; be sure to re-attach any washers or pieces that may have been removed



2. Loosen thumbscrew A; then remove bracket and softbox assembly from light stand



3. Carefully lift speed ring bracket away from elastic rims located in back of softbox



4. If desired, softbox shell may be stored with both diffusers still in place; otherwise, remove diffuser fabrics entirely and place inside carrying case

Breaking Down The Quikbox



5. Snap opposing corners of softbox panels together; then fold remaining two panels together as if closing a book and stow collapsed softbox shell inside carrying case



6. Hold speed ring bracket and loosen thumbscrew C to slide circular ring off bracket handle; place both parts in the side pouch of carrying case and store until next use

One-Year Limited Warranty

This IMPACT product is warranted to the original purchaser to be free from defects in materials and workmanship under normal consumer use for a period of one (1) year from the original purchase date or thirty (30) days after replacement, whichever occurs later. The warranty provider's responsibility with respect to this limited warranty shall be limited solely to repair or replacement, at the provider's discretion, of any product that fails during normal use of this product in its intended manner and in its intended environment. Inoperability of the product or part(s) shall be determined by the warranty provider. If the product has been discontinued, the warranty provider reserves the right to replace it with a model of equivalent quality and function.

This warranty does not cover damage or defect caused by misuse, neglect, accident, alteration, abuse, improper installation or maintenance. EXCEPT AS PROVIDED HEREIN, THE WARRANTY PROVIDER MAKES NEITHER ANY EXPRESS WARRANTIES NOR ANY IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. This warranty provides you with specific legal rights, and you may also have additional rights that vary from state to state.

To obtain warranty coverage, contact the Impact Customer Service Department to obtain a return merchandise authorization ("RMA") number, and return the defective product to Impact along with the RMA number and proof of purchase. Shipment of the defective product is at the purchaser's own risk and expense.

For more information or to arrange service, visit www.impactstudiolighting.com or call Customer Service at 212-594-2353.



Product warranty provided by the Gradus Group.

www.gradusgroup.com

IMPACT is a registered trademark of the Gradus Group.

© 2014 Gradus Group LLC. All Rights Reserved.

To see all of our lighting equipment,
please visit our website.



www.impactstudiolighting.com